

## Foam Fire Extinguishers

For use on:



- Wood, Paper, Textiles, Fabric



- Petrol, Diesel, Oils

Foam fire extinguishers provide a quick and powerful means of tackling class 'A' and 'B' type fires. Foam is a highly effective fire-fighting medium specifically when used against petrol and volatile liquids fires. By forming a flame smothering seal over the surface and preventing re-ignition these units are ideal for multi-risk usage.

Unit Features:

- Durable Steel Operating Handles
- Controllable Squeeze Grip Operation
- Chrome Finished Brass Spray Nozzle
- Corrosion Resistant Epoxy Coated Cylinder
- Corrosion Resistant Phosphate Under Treatment
- Internal Polythene Lining
- Clip On Durable Plastic Base on 6Ltr & 9Ltr Models
- Factory Filled
- Complete with corresponding bracket
- CE Approved

Capacity (Kg)	1	2
Cylinder Diameter (mm)	85	110
Cylinder Height (mm)	270	317
Cylinder Volume (Ltr)	1.25	2.5
Full Extinguisher Weight (Kg)	2.3	4.1
Extinguisher Size - LxWxH (mm)	130x88x350	135x115x390
Discharge Time Approx (secs)	15	16
Fire Rating	3A / 21B	8A / 34B
Working Pressure @ 20°C (bar)	12	12
Test Pressure (bar)	27	27
Operational Temperature Range (°C)	+1 to + 60	+1 to + 60



Capacity (Kg)	6	9
Cylinder Diameter (mm)	150	182
Cylinder Height (mm)	437	462
Cylinder Volume (Ltr)	6.7	10.27
Full Extinguisher Weight (Kg)	9.68	13.98
Extinguisher Size - LxWxH (mm)	201x158x519	217x190x544
Discharge Time Approx (secs)	25	32
Fire Rating	13A / 144B	21A / 183B
Working Pressure @ 20°C (bar)	12	12
Test Pressure (bar)	27	27
Operational Temperature Range (°C)	+1 to + 60	+1 to + 60
Subject to change		April 2013